LEXINGTON FAYETTE URBAN COUNTY GOVERNMENT DEPARTMENT OF ENVIRONMENTAL QUALITY DIVISION OF WATER AND AIR QUALITY

INSTRUCTIONS FOR COMPLETING WASTEWATER DISCHARGE PERMIT APPLICATION

All Questions must be answered. DO NOT LEAVE BLANKS. If you answer "no" to question E.1., you may skip to section I, otherwise, if a question is not applicable, indicate so on the form. Instructions to some questions on the permit application are given below.

SECTION A – INSTRUCTIONS (GENERAL INFORMATION)

- 1. Enter the facilities official or legal name. Do not use a colloquial name.
 - a. Operator name: give the name, as it is legally referred to, of the person, firm, public organization, or any other entity which operates the facility described in this application. This may or may not be the same as the facility.
 - b. Indicate whether the entity which operates the facility also owns it by marking the appropriate box:
 - (i) If the response is "no", clearly indicate the operator's name and address and submit a copy of the contract and/or other documents indicating the operator's scope of responsibility for the facility.
- 2. Provide the physical location of the facility that is applying for a discharge permit.
- 3. Provide the mailing address where correspondence from the Control Authority may be sent.
- 4. Provide the names of the authorized signatories for this facility for the purpose of signing all reports. The designated signatory is defined as:
 - a. A responsible corporate officer, if the industrial user submitting the reports is a corporation. For the purpose of this paragraph, a responsible corporate officer means:
 - (i) A president, secretary, treasurer, or vice president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision making functions for the corporation, or
 - (ii) The manager of one or more manufacturing, production, or operation facilities employing more than 250 persons or having gross annual sales or expenditures exceeding \$25 million (in second quarter 1980 dollars), if authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures
- b. A general partner or proprietor if the Industrial User submitting the reports is a partnership or sole proprietorship respectively.

- c. The principal executive officer or director having responsibility for the overall operation of the discharging facility if the Industrial User submitting the reports is a Federal, State or local government entity, or their agents.
- d. A duly authorized representative of the individual designated in the paragraph (a), (b), or (c) of this section if:
- (iii) the authorization specifies either an individual or a position having responsibility for the overall operation of the facility from which the Industrial Discharge originates, such as the position of plant manager, operator of a well, or well field superintendent, or a position of equivalent responsibility, or having overall responsibility for environmental matters for the company and
- (iv) the written authorization is submitted to the City.
- e. If an authorization under paragraph (d) of this section is no longer accurate because a different individual or position has responsibility for the overall responsibility for environmental matters for the company, a new authorization satisfying the requirements of paragraph (d) of this section must be submitted to the City prior to or together with any reports to be signed by an authorized representative.
- 5. Provide the name of a person who is thoroughly familiar with the facts reported on this form and who can be contacted by the Control Authority (e. g., the plant manager).

SECTION B – INSTRUCTIONS (BUSINESS OPERATIONS)

- 1. Check off all operations that occur or will occur at your facility. If you have any questions regarding how to categorize your business activity, contact the Control Authority for technical guidance.
- 3. For all processes found on premises, indicate the North American Industrial Classification System (NAICS) code number, as found in the most recent edition of NAICS Manual. This document is available by calling NTIS at (800) 553-6847 or online at http://www.census.gov/epcd/www/naics.html. Copies of the manual are also available at most public libraries.
- 4 List the type of products, giving the common or brand name and the proper or scientific name. Enter from your records the average and maximum amounts produced daily for each operation for the previous calendar year, and the estimated total daily production for this calendar year. Be sure to specify the daily units of production. Attach additional pages as necessary.

SECTION C – INSTRUCTIONS (WATER SUPPLY)

5. Provide daily average water usage within the facility. Contact cooling water is cooling water that during the process comes into contact with process materials, thereby becoming contaminated. Non-contact cooling water does not come into contact with process materials. Sanitary water includes only water used in restrooms. Plant and equipment washdown includes

floor washdown. If sanitary flow is not metered, provide an estimate based on 15 gallons per day (gpd) for each employee.

SECTION E – INSTRUCTIONS (WASTEWATER DISCHARGE INFORMATION)

- 1. If you answer "no" to this question, skip to section I, otherwise complete the remainder of the application.
- 4. A schematic flow diagram is required to be completed and certified for accuracy by a State Registered professional engineer. Assign a sequential reference number to each process starting with No. 1. An example of a drawing is shown below in figure 1. To determine your average daily volume and maximum daily volume of wastewater flow, you may have to read water meters, sewer meters, or make estimates of volumes that are not directly measurable.
- 5. Non-categorical users should report average daily and maximum daily wastewater flows from each process, operation, or activity present at the facility. Categorical users should skip top question 6.
- 6. Categorical users should report average daily and maximum daily wastewater flows from each regulated, unregulated, and dilution process. A regulated wastestream is defined as wastewater from an industrial process that is regulated for a particular pollutant by a categorical pretreatment standard. Unregulated wastestreams are wastestreams from an industrial process that are not regulated by a categorical pretreatment standard and are not defined as dilution a wastestream. Dilution wastestreams include sanitary wastewater, boiler blowdown, noncontact cooling water or blowdown, stormwater streams, demineralizer backwash streams and process wastestreams from certain industrial subcategories exempt by EPA from categorical pretreatment standards. [For further details see 40 CFR 403.6 (e).]
- 7. Total Toxic Organics (TTO) means the sum of the masses or concentrations of specific toxic organic compound found in the industrial user's process discharge. The individual organic compounds that make up the TTO value and the minimum reportable quantities differ according to the particular industrial category [see applicable categorical pretreatment standards, 40 CFR part 405-471].

SECTION H – INSTRUCTIONS (FACILITY OPERATIONAL CHARACTERISTICS)

- 2. Indicate whether the business activity is continuous throughout the year or if it is seasonal. If the activity is seasonal, circle the months of the year during which the discharge occurs. Make comments you feel are required to describe the variation in operation of your business activity.
- 4. Indicate any shut downs in operation which may occur during the year and indicate the reasons for shutdowns.
- 5. Provide a listing of all primary raw materials used (or planned) in the facility's operations. Indicate amount of raw materials used in daily units.

- 6. Provide a listing of all chemicals used (or planned) in the facility's operations. Indicate the amount used or planned in daily units. Avoid the use of trade names of chemicals. If trade names are used, also provide chemical compounds. Provide copies of all available manufacturer's safety data sheets for all chemicals identified.
- 7. A building layout or plant site plan of the premises is required to be completed and certified for accuracy by a State registered professional engineer. Approved building plans may be substituted. An arrow showing the North as well as the map scale must be shown. The location of each existing and proposed sampling location and facility sewer line must be clearly identified as well as all sanitary and wastewater drainage plumbing. Number each process discharging wastewater to the public sewer. Use the same numbering system used in Figure 1, the schematic flow diagram. An example of the drawing required is shown below.

SECTION I – INSTRUCTIONS (SPILL PREVENTION)

6. Describe how the spill occurred, what was spilled, when the spill occurred, where it occurred, how much was spilled, and whether or not the spill reached the sewer. Also explain what measures have been taken to prevent a reoccurrence or what measures have been taken to limit damage if another spill occurs.

SECTION J – INSTRUCTIONS (NON-DISCHARGED WASTES)

- 1. For wastes not discharged to the Control authority's sewer, indicate types of waste generated, amount generated, the way in which the waste is disposed (e. g. incinerated, hauled, etc.), and the location of disposal.
- 2. Onsite disposal system could be a septic system, lagoon, holding pond (evaporative type), etc.
- 5. Types of permits could be: air, hazardous waste, underground injection, solid waste, NPDES (for discharges to surface water), etc. Include permit numbers

SECTION K – INSTRUCTIONS (AUTHORIZED SIGNATURES)

See instructions for question 4 in section A, for a definition of an authorized representative.

LEXINGTON FAYETTE URBAN COUNTY GOVERNMENT DEPARTMENT OF ENVIRONMENTAL QUALITY DIVISION OF WATER AND AIR QUALITY WASTEWATER PERMIT APPLICATION FORM



Facility Name:		
Date:	 	

Return To: Lexington Fayette Urban County Government

Division of Water and Air Quality

301 Lisle Industrial Ave. Lexington, KY 40511 Attn: Pretreatment

LEXINGTON FAYETTE URBAN COUNTY GOVERNMENT DEPARTMENT OF ENVIRONMENTAL QUALITY DIVISION OF WATER AND AIR QUALITY

WASTEWATER PERMIT APPLICATION FORM

NOTE: Please read all attached instructions prior to completing this application.

a. C	perator Name:		
b.	Is the operator identified i Yes \Box No \Box		
	o, provide the name and addre uments indicating the operator		
	ility Address:		
Stre City	eet:	State:	Zip:
	iness Mailing Address: eet or P.O. Box:		
City	7:	State:	Zip:
[At	ignated signatory authority of each similar information for ea	ch authorized representa	-
Titl	e:		
Ado	lress:		
City	/:	State:	Zip:
Pho	ne #:		
	fail Address:		
	ignated facility contact:		
Nar	ne:		
Titl	e:		
	ne #:		
1 110			

other

SECTION B – BUSINESS ACTIVITY

1. If your facility employs or will be employing processes in any of the industrial categories or business activities listed below (regardless of whether they generate wastewater, waste sludge, or hazardous wastes), place a check beside the category of business activity (check all that apply)

Industrial Catagories
Industrial Categories
☐ Aluminum Forming
☐ Asbestos Manufacturing
☐ Battery Manufacturing
☐ Can Making
☐ Carbon Black
☐ Coal Mining
□ Coil Coating
□ Copper Forming
☐ Electric and Electronic Components Manufacturing
□ Electroplating
□ Feedlots
☐ Fertilizer Manufacturing
☐ Foundries (Metal Molding and Casting)
☐ Glass Manufacturing
☐ Grain Mills
☐ Inorganic Chemicals
☐ Iron and Steel
☐ Leather Tanning and Finishing
☐ Metal Finishing
☐ Metal Products and Machinery
☐ Nonferrous Metal Forming
☐ Nonferrous Metal Manufacturing
☐ Organic Chemicals Manufacturing
☐ Paint and Ink Formulating
☐ Paving and Roofing Manufacturing
☐ Pesticides Manufacturing
☐ Petroleum Refining
☐ Pharmaceutical
☐ Plastic and Synthetic Materials Manufacturing
☐ Plastics Processing Manufacturing
☐ Porcelain Enamel
☐ Pulp, Paper, and Fiberboard Manufacturing
□ Rubber
☐ Soap and Detergent Manufacturing
☐ Steam Electric
☐ Sugar Processing
☐ Textile Mills
☐ Timber Products
A facility with processes inclusive in these business areas may be covered by Environmental
Protection Agency's (EPA) categorical pretreatment standards. These facilities are termed "categorical
users".

(attach additional s	heets if necessary		y meruanig prin	nary products or sen
Indicate applicable				
processes (if more be found at http://w			order of import	ance.): NAICS Co
a				
b				
c				
d				
Product Volume:				
Product Volume: PRODUCT (Brandname)	PAST CALEN Amount:	DER YEAR s per day		HIS CALENDER YEA unts per day
PRODUCT				HIS CALENDER YEA ınts per day <u>Maximum</u>
PRODUCT	Amounts	s per day	Amou	unts per day
PRODUCT	Amounts	s per day	Amou	unts per day
PRODUCT	Amounts	s per day	Amou	unts per day
PRODUCT	Amounts	s per day	Amou	unts per day

SECTION C – WATER SUPPLY

1.	Water Sources: (Ch	neck as many as are	e applicable)		
	□ Private We Surface Wa				
	☐ Municipal \(Other (Spec	Water Utility (Spec	cify City):		
2.	Name on the water	Bill:			
	Name:				
	Street:		State:	7:	
3.	Kentucky American	n Water Premise N	umber:		
4.	What is the average	daily consumption	1?		- <u> </u>
5.			for each discharge poin dditional sheets if need		discharge points.)
		Disc	charge Point 1	Discl	harge Point 2
Type		Average water Usage (GPD)	Indicate Estimate (E) or Measured (M)	Average water Usage (GPD)	Indicate Estimate (E) or measured(M
a. Cont	tact cooling water				
b. Non	-contact cooling wat	er			
c. Boile	er feed				
d. Proc	eess				
e. Sani	tary				
f. Air p	pollution control				
g. Con	tained in product				
h. Plan	t and equipment was	shdown			
i. Irriga	ation and lawn water	ring			
j. Evap	ooration				
k. Othe	r (explain)				
1. TOT	AL OF a-k				

SECTION D – SEWER INFORMATION

1.	a. For a	n existin	g business:				
	Is the bu	uilding pr	resently connected to the p	oublic sanitary sewe	r system'	?	
	□ Yes:	Name o	n Account				
	□ No:	Have yo	ou applied for a sanitary se	ewer hookup?	□ Yes	\square No	
	b. For a	new bus	siness:				
	(i)	Will yo	u be occupying an existing	g vacant building	□ Yes	□ No	
	(ii)	Have yo	ou applied for a building p	ermit if a new facili	ity will b	e constructed	?
	(iii)	Will yo	u be connected to the publ	lic sanitary sewer sy	stem?	□ Yes □ 1	No
2.			riptive location(s), and flo f more than three, attach a				ets to the LFUCG's
	Sewer S	lize	Descriptive Location of S Connection or Discharge		Average	e Flow (GPD)	<u>.</u>
1							
	Sewer S	<u>Size</u>	Descriptive Location of S Connection or Discharge		Average	e Flow (GPD)	1
2							
				<u></u>			
	Sewer S	<u>Size</u>	Descriptive Location of S Connection or Discharge		Average	e Flow (GPD)	1
3							

SECTION E - WASTEWATER DISCHARGE INFORMATION

1	Does (c	will) this facility discharge any wastewater other than from restrooms to City sewer?	
	□ Yes:	If the answer to this question is "yes", complete the remainder of the application.	
	□ No:	If the answer to this question is "no", skip to section I	
2.	Provide estimat	ne following information on wastewater flow rate for each discharge point. (new facility	ties ma
	Dischar a.	e point Hours/day discharged (e. g., 8hours/day	
	М	T W TH F SAT SUN	
	b.	Hours of Discharge (e. g., 8AM to 5PM)	
	М	T W TH F SAT SUN	
	c.	Peak hourly flow rate (GPD)	
	d.	Maximum daily flow rate (GPD)	
	e.	Annual daily average (GPD)	
	Dischar a.	e pointHours/day discharged (e. g., 8hours/day	
	М	T W TH F SAT SUN	
	b.	Hours of Discharge (e. g., 8AM to 5PM)	
	М	T W TH F SAT SUN	
	c.	Peak hourly flow rate (GPD)	
	d.	Maximum daily flow rate (GPD)	
	e.	Annual daily average (GPD)	
	Dischar	e point	
	a.	Hours/day discharged (e. g., 8hours/day	
	М	T W TH F SAT SUN	
	b.	Hours of Discharge (e. g., 8AM to 5PM)	
	М	T W TH F SAT SUN	
	c.	Peak hourly flow rate (GPD)	
	d.	Maximum daily flow rate (GPD)	
	e.	Annual daily average (GPD)	

3.	If batch	discharge occurs or will occur, indicate: (New facilities may estimate)
	a.	Number of batch discharges per \square day \square week \square month
	b.	Batch discharges to which discharge point?
	c.	What is batch discharged?
	d.	Is the batch discharge treated \Box Yes \Box No
	e.	Average discharge per batch (Gallons)
	f.	Time of batch discharges at (days of week) at (hours of day)
	g.	Flow rate gallons/minute.
	h.	Percent of total discharge

4. Schematic Flow Diagram

For each major activity in which wastewater is or will be generated, provide a diagram of the flow of materials, products, water and wastewater from the start of the activity to its completion, showing all unit processes. Indicate which processes use water and which generate wastestreams. Include the average daily volume and maximum daily volume of each wastestream (new facilities may estimate). If estimates are used for flow data, this must be indicated. Number each unit process having wastewater discharges to the public sewer. Use these numbers when showing this unit process in the building layout in section H. Indicate to which discharge point each flow is discharged.

Facilities that checked activities in question 1 of Section B are considered Categorical Industrial Users and should skip to question 6

No.	Process Description	Average Flow (GPD)	Maximum Flow (GPD)	Type of discharge (batch, continuous, none)
_				
_				
Disch	arge Point			
No.	Process Description	Average Flow (GPD)	Maximum Flow (GPD)	Type of discharge (batch, continuous, none)
_				
<u> </u>				
Disch	arge Point	 		
No.	Process Description	Average Flow (GPD)	Maximum Flow (GPD)	Type of discharge (batch, continuous, none)
_				
—				

ANSWER QUESTIONS 6 AND 7 ONLY IF YOU ARE SUBJECT TO CATEGORICAL PRETREATMENT STANDARDS

6.

Regulated Process	Average Flow (GPD)	Maximum Flow (GPD)	Type of Discharge (batch, continuous, none)	Discharge Point
Unregulated Process	Average Flow (GPD)	Maximum Flow (GPD)	Type of Discharge (batch, continuous, none)	Discharge Poin
Dilution	Average Flow (GPD)	Maximum Flow (GPD)	Type of Discharge (batch, continuous, none)	Discharge Poin

For Categorical users: Provide the wastewater discharge flows for each of your processes or proposed

	ill) this facility use any of the toxic organics that are listed under the TTO standar categorical standards published by EPA?
□ Yes If y □ No	es, please list
Has a basel	ine monitoring report (BMR) been submitted which contains TTO information?
	No ate of monitoring (Please attach a copy)
	organics management plan (TOMP) been developed?
Has a toxic	organies management plan (1 5 m) been de veloped.
☐ Yes (Ple	ase attach a copy) no, please develop and submit.
☐ Yes (Ple☐ No If	ase attach a copy)
☐ Yes (Ple☐ No If	ase attach a copy) no, please develop and submit. re, or plan to have, automated sampling equipment or continuous wastewater flow
☐ Yes (Ple☐ No If Do you have quipment	ase attach a copy) no, please develop and submit. re, or plan to have, automated sampling equipment or continuous wastewater flow at this facility? Flow Metering Yes No
☐ Yes (Ple☐ No If Do you have quipment	ase attach a copy) no, please develop and submit. re, or plan to have, automated sampling equipment or continuous wastewater flow at this facility? Flow Metering
☐ Yes (Ple☐ No If Do you have quipment	ase attach a copy) no, please develop and submit. re, or plan to have, automated sampling equipment or continuous wastewater flow at this facility? Flow Metering
☐ Yes (Ple☐ No If☐ Do you have quipment☐ Current:☐ Planned:☐ Plan	ase attach a copy) no, please develop and submit. re, or plan to have, automated sampling equipment or continuous wastewater flow at this facility? Flow Metering

volu	ny process changes or expansions planned during the next three years that could alter wastewat nes or characteristics? Consider production processes as well as air or water pollution treatments sees that may affect the discharge.
□ Ye	s Describe
□ No	(skip Question 10)
	ly describe these changes and their effects on the wastewater volume and characteristics: (attacional sheets if needed)
A	
Are a □ Ye	ny materials or water reclamation systems in use or planned? s Describe
□ Y€	ny materials or water reclamation systems in use or planned? s Describe
□ Ye □ No	s Describe
□ Ye □ No	s Describe
□ Ye □ No	s Describe
□ Ye □ No	s Describe

SECTION F - CHARACTERISTICS OF DISCHARGE

All current industrial users are required to submit monitoring data on all pollutants that are regulated specific to each process. Use the tables provided in this section to report the analytical results. DO NOT LEAVE BLANKS. For all other nonregulated pollutants, indicate whether the pollutant is known to be present (P), suspected to be present (S), or known not to be present (O), by placing the appropriate letter in the column for average reported values. Indicate on either the top of each table or on a separate sheet, if necessary, the sample location and type of analysis used.

New dischargers should use the table to indicate what pollutants will be present or are suspected to be present in proposed wastestreams by placing a P (expected to be present), S (may be present), or O (will not be present) under the average reported values.

Pollutant	Detection Level Used	Maxim Daily Valu	y	O	rage of lyses	Number of Analyses	Uni	ts
2 0 11 11 11 11 11 11 11 11 11 11 11 11 1	0.504	Conc.		Conc.		i iiidi y b e b		Mass
Acenaphthene								
Acrolein								
Acrylonitrile								
Benzene								
Benzidine								
Carbon Tetrachloride								
Chlorobenzene								
1,2,4-Trichlorobenzene								
Hexachlorobenzene								
1,2-Dichloroethane								
1,1,1-Trichloroethane								
Hexachloroethane								
1,1-Dichloroethane								
1,1,2-Trichloroethane								
1,1,2,2-Tetrachloroethane								
Chloroethane								
Bis (2-chloroethyl) ether								
17 Bis (chloro methyl) ether								
2-chloroethyl vinyl ether								
2-Chloronaphthalene								
2,4,6 Trichlorophenol								
Parachlorometa cresol								
Chloroform								
2-chlorophenol								
1,2-Dichlorobenzene								
1,3-Dichlorobenzene								
1,4-Dichlorobenzene								
3,3-Dichlorobenzidine								
1,1-Dichloroethylene								
1,2-Trans-dichloroethylene								
2,4-Dichloropheno								
1,2-Dichloropropane								
1,2-Dichloropropylene								
2,4-Dimethylphenol								
2,4-Dinitrotoluene								
2,6-Dinitrotoluene								
1,2-Diphenylhydrazine								
Ethylbenzene								
Lai ji conzene								

	Detection Level	Maximum Daily	Average of	Number of	
Pollutant	Used	Value	Analyses	Analyses	Units
Fluoranthene		Conc. Mass	Conc. Mass		Conc. Mass_
4-Chlorophenyl phenyl ether					
4-Bromophenyl phenyl ether					
Bis (2-chlorisopropyl) ether Bis (2-chloroethoxy) methane					
Methylene chloride					
Methyl chloride					
Methyl bromide					
Bromoform					
Dichlorobromomethane					
Chlorodibromomethane					
Hexachlorobutadiene					
Hexachlorocyclopentadiene					
Isophorone					
Naphthalene					
Nitrobenzene					
Nitrophenol					
2-Nitrophenol					
4-Nitrophenol					
2,4-Dinitrophenol					
4,6-Dinitro-o-cresol					
N-nitrosodimethylamine					
N-nitrosodi-n-propylamine					
Pentachlorophenol					
Phenol					
Bis (2-ethylhexyl) phthalate					
Butyl benzyl phthalate					
Di-n-butyl phthalate					
Di-n-octyl phthalate					
Diethyl phthalate					
Dimethyl phthalate					
Benze (a) anthracene					
Benzo (a) pyrene					
3,4-benzofluoranthene					
Benzo (k) fluoranthane					
Chrysene					
Acenaphthylene					
Anthracene					
Benzo (ghi) perylene					
Fluorene					
Phenantthrene					
Dibenzo (a,h) anthracene					
Indeno (1,2,3-cd) pyrene					
Pyrene					
Tetrachloroethylene					
Toluene					
Trichloroethylene					
Vinyl chloride					
Aldrin					
Dieldrin					
Chlordane					
Chiloraulic					

	Detection Level	Maximum Daily	Average of	Number of	
Pollutant	Used	Value	Analyses	Analyses	<u>Units</u>
· 		Conc. Mass	Conc. Mass		Conc. Mass
4,4'-DDT					
4,4'-DDE					
4,4'-DDD					
Alpha-endosulfan					
Beta-endosulfan					
Endosulfan sulfate					
Endrin					
Endrin aldehyde					
Heptachlor					
Heptachlor epoxide					
Alpha-BHC					
Beta-BHC					
Gamma-BHC					
Delta-BHC					
PCB-1242					
PCB-1254					
PCB-1221					
PCB-1232					
PCB-1248					
PCB-1260					
PCB-1016					
Toxaphene					
(TCDD)					
Asbestos					
Acidity					
Alkalinity					
Bacteria					
BOD5					
COD					
Chloride					
Chlorine					
Fluoride					
Hardness					
Magnesium					
NH3-N					
Oil & Grease					
TSS					
TOC					
Kjeldahl N					
Nitrate N					
Nitrite N					
Organic N					
Orthophosphate P					
Phosphorus					
Sodium Specific Conductivity					
Specific Conductivity					
Sulfate (SO4)					
Sulfide (S)					
Sulfite (SO3)					

D.H	Detection Level	Maximum Daily	Average of	Number of	T I. 11
Pollutant	Used	Value	Analyses	Analyses	<u>Units</u>
		Conc. Mass	Conc. Mass		Conc. Mass
Antimony					
Arsenic					
Barium					
Beryllium					
Cadmium					
Chromium					
Copper					
Cyanide					
Lead					
Mercury					
Nickel					
Selenium					
Silver					
Thallium					
Zinc					

SECTION G - TREATMENT

Is any form of wastewater treatment (see list below) practiced at this facility?
\square Yes
\square No
Is any form of wastewater treatment (or changes to an existing wastewater treatment) planned for this facility within the next three years?
□ Yes, Describe:
\square No
Treatment devices or processes used or proposed for treating wastewater or sludge (check as many as appropriate)
☐ Air flotation (DAF)
□ Centrifuge
☐ Chemical precipitation
□ Chlorination
□ Cyclone
□ Filtration
☐ Flow equalization
☐ Grease or oil separation, Type:
☐ Grease trap
☐ Grinding Filter
☐ Grit removal
□ Ion exchange
□ Neutralization, pH correction
□ Ozonation
□ Reverse osmosis
□ Screen
□ Sedimentation
□ Solvent separation
□ Spill protection
Biological treatment, type:
Rainwater diversion or storage
Other chemical treatment, type:
Other physical treatment, type:
□ Other, type:

Description
For each discharge point, describe the pollutant loadings, flow rates, design capacity, physical size, and operating procedures of each treatment facility checked above.
Attach a process flow diagram for each existing treatment system for each discharge point. Include process equipment, by-product disposal method, waste and by-product volumes, and design and operating conditions
Describe any changes in treatment or disposal methods planned or under construction for the wastewater discharge to the sanitary sewer. Please include estimate completion dates.
Do you have a treatment operator? ☐ Yes ☐ No
(If Yes,) Name:
Title:
Phone:
Full-Time:(Specify hours)
Part-time:(Specify hours)
Do you have a manual on the correct operation of your treatment equipment?
☐ Yes, Attach a copy☐ No
Do you have a written maintenance schedule for your treatment equipment?
☐ Yes, Attach a copy☐ No

SECTION H – FACILITY OPERATION CHARACTERISTICS

1.	Shift In	formatio	n									
Work da	ays		□ Mon	□ Tue	□ Wed	□ Thur	□ Fri	□ Sat	□ Sun			
Shifts po												
Employ		1st										
Per shift	t	2nd 3rd										
		1st										
Shift Start And End	d	2nd										
Times		3rd		·								
2.	Indicat	e whether	the bus	iness activ	vity is:							
				he year, o months of		during w	hich bus	iness acti	vity occu	ırs:		
	J	F	M	A	M	J	J	A	S	О	N	D
	Commo	ents:										
3.	Indicate	e whether	the faci	lity disch	arge is:							_
				he year, o months o		r during v	which the	facility of	lischarge	occurs:		
	J	F	M	A	M	J	J	A	S	О	N	D
	Comme	ents:										
4.	Does th	—— ne operati		down for				ther reas	ons?	□ Yes	□ No	
	If yes in	ndicate re	asons ar	nd periods	s when sh	ut down	occurs: _					

List types and quantity of chemicals used or planned for use (attach list if needed). I	Include co
List types and quantity of chamicals used or planned for use (attach list if needed). I	Include co
List types and quantity of chamicals used or planned for use (attach list if needed). I	Include co
List types and quantity of chamicals used or planned for use (attach list if needed). I	Include co
List types and quantity of chamicals used or planned for use (attach list if needed). I	Include co
List types and quantity of abamicals used or planned for use (attach list if needed). I	Include co
List types and quantity of abomicals used or planned for use (attach list if needed). I	Include co
List types and quantity of chamicals used or planned for use (attach list if needed). I	Include co
List types and quantity of shamicals used or planned for use (attach list if needed). I	Include co
List types and quantity of ahamicals used or planned for use (attach list if needed). I	Include co
manufacturer's Safety Data Sheets (if available) for all chemicals identified:	
Chemical Quantity	V

7. Building Layout – Draw to scale the location of each building on the premises. Show map orientation and location of all water meters, storm drains, numbered unit processes (from schematic flow diagram), public sewers, and each facility sewer line connected to the public sewers. Number each sewer and show existing and proposed sampling locations. This drawing must be certified by a State Registered Professional Engineer.

A blueprint or drawing of the facilities showing the above items may be attached in lieu of submitting a drawing on this sheet.

SECTION I – SPILL PREVENTION

Do you have chemical storage containers, bins, or ponds at your facility?
\square Yes \square No
If yes, please give a description of their location, contents, size, type, and frequency and method of cleaning. Also indicate in a diagram or comment on the proximity of these containers to a sewer or storm drain. Indicate if buried metal containers have cathodic protection.
Do you have floor drains in your manufacturing or chemical storage areas?
If yes, where do they discharge?
Describe spill prevention controls for the above chemical storage units.
Describe spill prevention controls for the above chemical storage units.
If you have chemical storage containers, bins or ponds in manufacturing area, could an accidental spill lead to a discharge to: (Check all that apply)
If you have chemical storage containers, bins or ponds in manufacturing area, could an accidental spill lead to a discharge to: (Check all that apply) An onsite disposal system Public Sanitary sewer system (e.g. through a floor drain) Storm drain
If you have chemical storage containers, bins or ponds in manufacturing area, could an accidental spill lead to a discharge to: (Check all that apply) An onsite disposal system Public Sanitary sewer system (e.g. through a floor drain) Storm drain To ground
If you have chemical storage containers, bins or ponds in manufacturing area, could an accidental spill lead to a discharge to: (Check all that apply) An onsite disposal system Public Sanitary sewer system (e.g. through a floor drain) Storm drain
If you have chemical storage containers, bins or ponds in manufacturing area, could an accidental spill lead to a discharge to: (Check all that apply) An onsite disposal system Public Sanitary sewer system (e.g. through a floor drain) Storm drain To ground Other, specify: Not applicable, no possible discharge to any of the above routes Do you have an spill prevention control and countermeasure plan (SPCC) to prevent spills of chemicals or slug discharges from entering the Control Authority's collection system? Yes – (Please enclose a copy with the application)
If you have chemical storage containers, bins or ponds in manufacturing area, could an accidental spill lead to a discharge to: (Check all that apply) An onsite disposal system Public Sanitary sewer system (e.g. through a floor drain) Storm drain To ground Other, specify: Not applicable, no possible discharge to any of the above routes Do you have an spill prevention control and countermeasure plan (SPCC) to prevent spills of chemicals or slug discharges from entering the Control Authority's collection system?

SECTION J – NON-DISCHARGED WASTES

	Waste Generated	Quantity (per year)	Disposal Method
	which wastes identified about of on-site.	ove are disposed of at an off-site treat	ment facility and which a
If any o facility.		off-site centralized waste treatment fa	cility, identify the waste
If an ou	tside firm removes any of th	ne above checked wastes, state the nar	
If an ou		ne above checked wastes, state the nar	ne and address of all hau
		ne above checked wastes, state the nar	ne and address of all hau
	Permit number (if applicab	ne above checked wastes, state the nar	ne and address of all hau
a.	Permit number (if applicab	ne above checked wastes, state the nar	ne and address of all hau
a. b.	Permit number (if applicab	ne above checked wastes, state the nar	ne and address of all hau

SECTION K - AUTHORIZED SIGNATURES

Compliance Certification: 1. Do you have a copy of Chapter 16 of the local ordinance? ☐ Yes ☐ No 2. Are all applicable Federal, State or Local pretreatment standards and requirements being met on a consistent basis? ☐ Not yet discharging □ Yes □ No 3. If No: What additional operations and maintenance procedures are being considered to bring the facility into a. compliance? Also, list additional treatment technology or practice being considered in order to bring the facility into compliance. Provide a schedule for bringing the facility into compliance. Specify major events planned along with b. reasonable completion dates. Note that if the control authority issues a permit to the applicant, it may establish a schedule for compliance different from the one submitted by the facility. Milestone Activity Completion Date

AUTHORIZED REPRESENTATIVE STATEMENT:

I certify under penalty of law that the	his document and all attachments	were prepared under my
direction or supervision in accordance with	a system designed to assure that of	qualified personnel properly
gather and evaluate the information submitte	ed. Based on my inquiry of the p	erson or persons who manage
the system, or those persons directly respons	sible for gathering the information	n, the information submitted
is, to the best of my knowledge and belief, to significant penalties for submitting false info knowing violations		
Name(s)	Title	
Signature	Date	Phone